



# ACCESSIBILITY EVALUATION REPORT

---



# GLOSSARY

**GUIDELINE SET:** set composed of one or more guidelines.

**GUIDELINE:** it expresses general concepts about the accessibility of Web pages and it is composed of one or more criteria (for example, "Provide text alternatives for any non-text content so that it can be changed into other forms people need, such as large print, braille, speech, symbols or simpler language").

**CRITERION:** it specializes concepts from a guideline, focusing on a particular aspect of the Web pages and it is composed of one or more checkpoints, (for example, "All non-text content that is presented to the user has a text alternative that serves the equivalent purpose").

**CHECKPOINT:** consists of one or more checks and expresses concretely the requirements that must be met by one or more components of a Web page (tags, attributes, CSS properties etc.), such as "Accessibility issue, due to omitting the alt attribute on img elements, area elements, and input elements of type image".




# EVALUATION OVERVIEW

BASE URL	<a href="https://dati.regione.umbria.it/">https://dati.regione.umbria.it/</a>
CRAWLING PARAMETERS	
Number of pages	10
Depth	3
NUMBER OF EVALUATED WEB PAGES	10
EVALUATION DATE	18 ott 2022
EVALUATION TIME	11:32:

## MAUVE++ ACCESSIBILITY PERCENTAGE

The MAUVE++ accessibility percentage is a measure which indicates how much the website is accessible in terms of the number of checkpoints successfully evaluated over the total number of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.


96%



## MAUVE++ EVALUATION COMPLETENESS

The MAUVE++ evaluation completeness is a measure which indicates the percentage of evaluated checkpoints for which the tool has been able to make a validation. Such a measure is computed over the total of the evaluated web pages.

87%





# EVALUATION OVERVIEW

## TOTAL ERRORS

We compute the number of erroneous checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of errors' occurrences per page.

12

TOTAL CHECKPOINT TYPES WITH RESULT "ERROR"

1109

TOTAL ERROR OCCURENCIES FOUND

110

AVERAGE ERROR OCCURENCIES PER PAGE

## TOTAL WARNINGS

We compute the number of warning checkpoints for all the evaluated web pages, the total number of occurrences, and the average number of warnings' occurrences per page.

11

TOTAL CHECKPOINT TYPES WITH RESULT "WARNING"

2744

TOTAL WARNINGS OCCURENCIES FOUND

274

AVERAGE WARNING OCCURENCIES PER PAGE



# EVALUATION OVERVIEW

## MOST ERRONEUS PAGES

We compute a rank of the most erroneous pages of the website, according to the occurrences of errors found in each evaluated page.


1. <https://dati.regione.umbria.it/group/statistica>
2. <https://dati.regione.umbria.it/group/salute>
3. <https://dati.regione.umbria.it/argomenti/app-idee/dataviz/>



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/group/statistica>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	30
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	13
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	113



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	80
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	301
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
<b>UNDERSTANDABLE</b>		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
W	SC 2.4.4 - Tech H33 Supplementing link text with the title attribute	19
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4






# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/group/statistica>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
<b>COLOR</b>		
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
<b>CONTENT</b>		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	113
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	301
<b>FORM</b>		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	13
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
<b>LINK</b>		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	80
W	SC 2.4.4 - Tech H33 Supplementing link text with the title attribute	19



# PAGES EVALUATION


E/W	Errors	No. of occurrences
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	30
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/group/statistica>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	30
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	113
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	301
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
HTML		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	13
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	80
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
W	SC 2.4.4 - Tech H33 Supplementing link text with the title attribute	19
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/group/salute>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	27
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	13
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	103



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	70
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	277
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
<b>UNDERSTANDABLE</b>		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
W	SC 2.4.4 - Tech H33 Supplementing link text with the title attribute	16
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4






# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/group/salute>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
<b>COLOR</b>		
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
<b>CONTENT</b>		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	103
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	277
<b>FORM</b>		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	13
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
<b>LINK</b>		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	70
W	SC 2.4.4 - Tech H33 Supplementing link text with the title attribute	16



# PAGES EVALUATION


E/W	Errors	No. of occurrences
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	27
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/group/salute>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	27
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	103
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	277
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
HTML		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	13
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	70
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
W	SC 2.4.4 - Tech H33 Supplementing link text with the title attribute	16
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/argomenti/app-idee/dataviz/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	7
E	SC 1.1.1 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	9
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	5
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	5
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	14
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	6
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	5



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	150
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	10
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	29
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	9
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	5
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/argomenti/app-idee/dataviz/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
COLOR		
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	6





# PAGES EVALUATION


E/W	Errors	No. of occurrences
<b>CONTENT</b>		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	14
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	150
<b>FORM</b>		
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	5
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	5
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
<b>IMG</b>		
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	5
<b>LINK</b>		
E	SC 1.1.1 - 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	9
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	10
<b>RESPONSIVE</b>		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	7
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	29
<b>TABLE</b>		
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/argomenti/app-idee/dataviz/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	7
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	5
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	14
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	6
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	150
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	29
HTML		
E	SC 1.1.1 - 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	9
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	5
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	5
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	10
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/>

## ERRORS GROUPED BY PRINCIPLES




E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
OPERABLE		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/>

## ERRORS GROUPED BY CATEGORIES




E/W	Errors	No. of occurrences
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/>

## ERRORS GROUPED BY HTML VS STYLE




E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/info-contatti/>

## ERRORS GROUPED BY PRINCIPLES




E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
OPERABLE		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/info-contatti/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
CONTENT		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1






# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/info-contatti/>

## ERRORS GROUPED BY HTML VS STYLE




E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	1
HTML		
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/group>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	10
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	5
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	31



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	110
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
<b>UNDERSTANDABLE</b>		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/group>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
<b>COLOR</b>		
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
<b>CONTENT</b>		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	31
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	110
<b>FORM</b>		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	5
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
<b>LINK</b>		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
<b>RESPONSIVE</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	10
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/group>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	10
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	31
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	110
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
HTML		



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	5
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	22
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4






# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/organization>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	10
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	5
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	29



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	105
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
<b>UNDERSTANDABLE</b>		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/organization>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
<b>COLOR</b>		
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
<b>CONTENT</b>		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	29
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	105
<b>FORM</b>		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	5
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
<b>LINK</b>		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
<b>RESPONSIVE</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	10
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/organization>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	10
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	29
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	105
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
HTML		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	5
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	2
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	1
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	20
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	10
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/group/territorio>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	34
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	13
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	125





# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	70
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	302
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
<b>UNDERSTANDABLE</b>		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
W	SC 2.4.4 - Tech H33 Supplementing link text with the title attribute	22
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/group/territorio>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
<b>COLOR</b>		
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
<b>CONTENT</b>		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	125
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	302
<b>FORM</b>		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	13
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
<b>LINK</b>		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	70
W	SC 2.4.4 - Tech H33 Supplementing link text with the title attribute	22



# PAGES EVALUATION


E/W	Errors	No. of occurrences
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	34
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/group/territorio>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	34
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	125
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	3
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	302
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
HTML		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	13
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	70
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	16
W	SC 2.4.4 - Tech H33 Supplementing link text with the title attribute	22
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/dataset>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	65
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	8
E	SC 1.1.1 - 1.3.1 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	217





# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	85
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	406
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
<b>UNDERSTANDABLE</b>		
E	SC 3.3.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>OPERABLE</b>		
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 2.4.4 - Tech H33 Supplementing link text with the title attribute	38
<b>ROBUST</b>		
E	SC 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/dataset>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	2
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4
<b>COLOR</b>		
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
<b>CONTENT</b>		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	217
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	406
<b>FORM</b>		
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	8
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
<b>LINK</b>		
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	85
W	SC 2.4.4 - Tech H33 Supplementing link text with the title attribute	38



# PAGES EVALUATION


E/W	Errors	No. of occurrences
RESPONSIVE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	65
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/dataset>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	65
E	SC 1.4.13 - Tech 1.4.13-ST2 CSS: Using hover and focus pseudo classes	2
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	2
E	SC 1.4.10 - Tech C38 Using CSS width, max-width and flexbox to fit labels and inputs	1
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	217
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	5
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	406
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	18
HTML		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	12
E	SC 1.3.1 - Tech H42 Using h1-h6 to identify headings	8
E	SC 1.1.1 - 1.3.1 - 3.3.2 - 4.1.2 - Tech H44 Using label elements to associate text labels with form controls.	1
E	SC 1.3.1 - 4.1.2 - Tech ARIA16 Using aria-labelledby to provide a name for user interface controls	1
W	SC 4.1.3 - Tech ARIA19 Use role=alert or aria-live=assertive attribute in order to inject the error message inside these containers and notify the Assistive Technologies	2
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	85
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	1
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	17
W	SC 2.4.4 - Tech H33 Supplementing link text with the title attribute	38
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	4



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/archivio-articoli/>

## ERRORS GROUPED BY PRINCIPLES



E/W	Errors	No. of occurrences
PERCEIVABLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	17
E	SC 1.1.1 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	14
E	SC 1.4.11 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	19
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	32
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	28
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	10





# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	244
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	41
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	41
W	SC 1.3.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
<b>OPERABLE</b>		
E	SC 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	14
E	SC 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
<b>ROBUST</b>		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/archivio-articoli/>

## ERRORS GROUPED BY CATEGORIES



E/W	Errors	No. of occurrences
ARIA		
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1
COLOR		



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	28
<b>CONTENT</b>		
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	32
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	244
<b>FORM</b>		
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1
<b>HTML</b>		
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	19
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
<b>IMG</b>		
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	10
<b>LINK</b>		
E	SC 1.1.1 - 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	14
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	41
<b>RESPONSIVE</b>		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	17
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	41
<b>TABLE</b>		



# PAGES EVALUATION


E/W	Errors	No. of occurrences
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1



# PAGES EVALUATION

PAGE URL: <https://dati.regione.umbria.it/archivio-articoli/>

## ERRORS GROUPED BY HTML VS STYLE



E/W	Errors	No. of occurrences
STYLE		
E	SC 1.4.4 - 1.4.10 - Tech SCR34 Calculating size and position in a way that scales with text size	17
E	SC 1.4.11 - 2.4.7 - Tech F78 Failure due to styling element outlines and borders in a way that removes or renders non-visible the visual focus indicator	7
E	SC 1.4.4 - 1.4.5 - Tech C12-13-14 Using percent, em units or named font sizes	32
E	SC 1.4.3 - 1.4.11 - Tech G18 Ensuring that a contrast ratio of at least 4.5:1 exists between text (and images of text) and background behind the text	28
W	SC 1.4.12 - Tech C21 Specifying line spacing in CSS	244
W	SC 1.4.4 - 1.4.12 - Tech C28 Specifying the size of text containers using em units	41
HTML		
E	SC 1.1.1 - 2.4.4 - Tech H30 Providing link text that describes the purpose of a link for anchor elements	14
E	SC 1.3.5 - Tech H98 Identify the purpose of inputs using the autocomplete value	1



# PAGES EVALUATION

E/W	Errors	No. of occurrences
E	SC 1.3.1 - 1.4.5 - Tech G140 Separating information and structure from presentation to enable different presentations	19
W	SC 1.1.1 - 1.2.1 - Tech F30 Failure of Success Criterion 1.1.1 and 1.2.1 due to using text alternatives that are not alternatives (e.g., filenames or placeholder text)	10
W	SC 1.4.1 - Tech F73 Failure of Success Criterion 1.4.1 due to creating links that are not visually evident without color vision	41
W	SC 1.3.1 - Tech H73 Using the summary attribute of the table element to give an overview of data tables	1
W	SC 2.4.2 - Tech G88 Providing descriptive titles for Web pages	1
W	SC 4.1.2 - Tech ARIA5 Using WAI-ARIA state and property attributes to expose the state of a user interface component	4
W	SC 1.3.1 - 2.4.1 - Tech ARIA11 Using ARIA landmarks to identify regions of a page	7
W	SC 4.1.3 - Tech G199 Use role=status attribute in order to notify the Assistive Technologies that the submission was successful	1

---

# HIIS LAB @ ISTI-CNR

---

Pisa • Italy

Interest in design and development of interactive software applications has increased considerably over the last few years. The underlying reason for this interest is the need to provide the greatest number of people with access to applications for the largest number of purposes and in the widest number of contexts. Our research activity is in methods and tools to support user interface designers, software developers, and end users in obtaining systems that can be accessed from different contexts of use (devices, users, physical and social environments) in such a way to improve usability, accessibility, and user experience.

The main goal is to propose new solutions in basic and applied research in the field of human-computer interaction, specifically in user interface software and technologies, mainly under the aegis of national and international programmes and private sector R&D contracts. One of the first groups in Italy in the HCI area, we have become well-known at an International level, as demonstrated by participation in numerous European projects and the board of the most important HCI conferences, and publications in the major HCI and software engineering journals and conferences.

The main research areas concern Methods and Tools for the Analysis, Design and Development of Interactive Applications, Intelligent Interfaces, Interfaces for Ubiquitous Applications, MultiModal Interfaces, Accessibility, Usability Engineering and Models for HCI. Such work has led to the development of a numbers of tools and applications, many of which are publicly available for download.

Via G.Moruzzi 1

56124 Pisa Italy

Room: Building B - Entrance 17 - II Floor

**<http://hiis.isti.cnr.it/lab/home>**